



BBQGuys

856 Ship Notice/Manifest

Version 4010

856 Ship Notice/Manifest

Functional Group = SH

Header

USER REQ	REQ DES.	MAX USE	POS NO.	SEGMENT ID	SEGMENT NAME
M	M	1	010	ST	Transaction Set Header
M	M	1	020	BSN	Beginning Segment for Ship Notice

Detail

USER REQ	REQ DES.	MAX USE	POS NO.	SEGMENT ID	SEGMENT NAME
LOOP HL (Shipment) Max: 1 Required					
M	M	1	010	HL	Hierarchical Level
O	O	1	120	TD5	Carrier Details (Routing Sequence/Transit Time)
O	O	>1	150	REF	Reference Identification
O	O	2	200	DTM	Date/Time Reference
LOOP N1 Max: 3 Required					
M	M	1	220	N1	Name
O	O	1	240	N3	Address Information
M	O	1	250	N4	Geographic Location
O	O	1	270	PER	Administrative Communications Contact
LOOP HL (Order) Max: 1 Required					
M	M	1	010	HL	Hierarchical Level
M	O	1	050	PRF	Purchase Order Reference
LOOP HL (Tare) Max: 200000 Required					
M	M	1	010	HL	Hierarchical Level
O	O	1	110	TD1	Carrier Details (Quantity and Weight)
O	O	>1	150	REF	Reference Identification
O	O	>1	190	MAN	Marks and Numbers
LOOP HL (Pack) Max: 200000 Required					
M	M	1	010	HL	Hierarchical Level
M	O	1	060	PO4	Item Physical Details
M	O	1	110	TD1	Carrier Details (Quantity and Weight)

M	O	>2	190	MAN	Marks and Numbers	
				LOOP HL (Item)	Max: 200000	Required
M	M	1	010	HL	Hierarchical Level	
M	O	1	020	LIN	Item Identification	
M	O	1	030	SN1	Item Detail (Shipment)	
O	O	3	070	PID	Product/Item Description	

Summary

USER REQ	REQ DES.	MAX USE	POS NO.	SEGMENT ID	SEGMENT NAME
M	O	1	010	CTT	Transaction Totals
M	M	1	020	SE	Transaction Set Trailer

ST**ST Transaction Set Header**

Position: 010
Loop:
Level: Header
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	ST01	143	Transaction Set Identifier Code	ID	3/3
M	M	ST02	329	Transaction Set Control Number	AN	4/9

BSN Beginning Segment for Ship Notice

Position: 020
Loop:
Level: Header
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	BSN01	353	Transaction Set Purpose Code	ID	2/2
M	M	BSN02	396	Shipment Identification	AN	2/30
M	M	BSN03	373	Date	DT	8/8
O	M	BSN04	337	Time	TM	4/8
M	O	BSN05	1005	Hierarchical Structure Code	ID	4/4
				0001 Shipment, Order, Packaging, Item		

HL**HL Hierarchical Level**

Position: 010
Loop: HL (Shipment)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number	AN	1/12
M	M	HL03	735	Hierarchical Level Code	ID	1/2
				S Shipment		

TD5 Carrier Details (Routing Sequence/Transit Time)
Position: 120

Loop: HL (Shipment)

Level: Detail

User Req: Optional

Max Use: 1

Notes: TD503 Identification (CarrierCode) - this is the Standard Carrier Alpha Code (SCAC). If you are using your own custom shipping methods, these are set-up on the "Shipment Settings" page in the portal, the CarrierCode will automatically populate based on the ClassCode (TD505) submitted.

TD505 Routing (Classcode) - This is the field that will be a combination of both SCAC and ServiceLevel. If you map this to your partner's, the CarrierCode (TD503) and the ServiceLevelCode(TD512) will automatically populate accordingly. This will allow you to only keep track of one code (ClassCode) rather than 3.

TD512 Service Level Code (ServiceLevelCode) - If you are using your own custom shipping methods, these are set-up on the "Shipment Settings" page in the portal, the ServiceLevelCode (TD512) will automatically populate based on the ClassCode (TD505) submitted.

*Note - TD5 Segment is not used when sending shipments for Convey

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
O	O	TD501	133	Routing Sequence Code	ID	1/2
				B Origin/Delivery Carrier (Any Mode)		
O	O	TD502	66	Identification Code Qualifier	ID	1/2
				2 Standard Carrier Alpha Code (SCAC)		
X	O	TD503	67	Identification Code	AN	2/80
M	O	TD505	387	Routing	AN	1/35
O	O	TD512	284	Service Level Code	ID	2/2
				CG Ground		
				ND Next Day Air		
				ON Overnight		
				SA Same Day		

REF Reference Identification

Position: 150**Loop:** HL (Shipment)**Level:** Detail**User Req:** Optional**Max Use:** >1

Notes: IA (Internal Vendor Number) - this is the number assigned by the merchant to identify the supplier. This field is optional.

CN (Carrier Reference/PRO Number) - if your shipment has a PRO number, and you are NOT using Convey, please enter the number in this field. This field is optional.

BM (Bill of Lading) - if your shipment has a bill of lading number, and you are NOT using Convey, provide enter the number in this field. This field is optional.

IL (Internal Order Number) - this is the end customer's order number. This field is optional.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	REF01	128	Reference Identification Qualifier	ID	2/3
				IL Internal Order Number		
				CN Carrier's Reference Number (PRO/Invoice)		
				IA Internal Vendor Number		
				BM Bill of Lading Number		
X	O	REF02	127	Reference Identification	AN	1/30

DTM

DTM Date/Time Reference

Position: 200
Loop: HL (Shipment)
Level: Detail
User Req: Optional
Max Use: 2

Notes: 011 (Shipped) - Date of shipment. This field is required.
 067 (Current Schedule Delivery) - Date the shipment is expected to be delivered. This field is required.
 118 (Pickup Date) - Used for processing Convey shipments. This date will schedule the pickup date with a freight/LTL provider using the Convey connection. This field is required when using Convey.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	DTM01	374	Date/Time Qualifier	ID	3/3
				011 Shipped		
				067 Current Schedule Delivery		
				118 Requested Pick-up		
X	O	DTM02	373	Date	DT	8/8

N1
N1 Name

Position: 220
Loop: N1 (Shipment)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	N101	98	Entity Identifier Code	ID	2/3
				ST Ship To		
				SF Ship From		
X	O	N102	93	Name	AN	1/60
O	O	N103	66	Identification Code Qualifier	ID	1/2
			93	Code assigned by the organization originating the transaction set		
X	O	N104	67	Identification Code	AN	2/80

N3 Address Information

Position: 240
Loop: N1 (Shipment)
Level: Detail
User Req: Optional
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	N301	166	Address Information	AN	1/55
O	O	N302	166	Address Information	AN	1/55

N4 Geographic Location

Position: 250
Loop: N1 (Shipment)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	N401	19	City Name	AN	2/30
M	O	N402	156	State or Province Code	ID	2/2
M	O	N403	116	Postal Code	ID	3/15
M	O	N404	26	Country Code	ID	2/3

If using Convey to schedule a pickup, use a 2 Character Country Code. I.e 'US', not 'USA'. 'CA', not 'CAN'

PER
PER Administrative Communications Contact

Position: 270
Loop: N1 (Shipment)
Level: Detail
User Req: Optional
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	PER01	366	Contact Function Code	ID	2/2
				IC Information Contact		
X	O	PER02	93	Name	AN	1/60
O	O	PER03	365	Communication Number Qualifier	ID	2/2
				EM Electronic Mail		
X	O	PER04	364	Communication Number	AN	1/80
O	O	PER05	365	Communication Number Qualifier	ID	2/2
				TE Telephone		
X	O	PER06	364	Communication Number	AN	1/80

HL

HL Hierarchical Level

Position: 010
Loop: HL (Order)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number	AN	1/12
M	M	HL03	735	Hierarchical Level Code	ID	1/2
				O Order		

PRF**PRF Purchase Order Reference****Position:** 050**Loop:** HL (Order)**Level:** Detail**User Req:** Required**Max Use:** 1**Notes:** PRF01 (Purchase Order Number) - this is the same number that was sent on the 850.
This will always need to match.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	PRF01	324	Purchase Order Number	AN	1/22

HL Hierarchical Level

Position: 010

Loop: HL (Tare)

Level: Detail

User Req: Required

Max Use: 1

Notes: This level will be used only to specify pallet. If you are not sending pallets, please ignore this level. If you are using Convey, this level is required.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number	AN	1/12
M	M	HL03	735	Hierarchical Level Code	ID	1/2
				T Shipping Tare		

TD1
TD1 Carrier Details (Quantity and Weight)
Position: 110

Loop: HL (Tare)

Level: Detail

User Req: Optional

Max Use: 1

Notes: TD101 (Packaging Code) - PLT will always be used to specify that this is a pallet.

TD102 (Lading Quantity) - Total number of cartons (Pack Level) that are on the pallet.

TD107 (Weight) - Gross weight of the pallet.

TD109 (Volume) - total volume measurement of the pallet.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	TD101	103	Packaging Code PLT will always be used to specify that this is a pallet.	AN	3/5
O	O	TD102	80	Lading Quantity	N0	1/7
O	O	TD106	187	Weight Qualifier G Gross Weight	ID	1/2
O	O	TD107	81	Weight	R	1/10
O	O	TD108	355	Unit or Basis for Measurement Code LB Pound	ID	2/2
O	O	TD109	183	Volume	R	1/8
O	O	TD110	355	Unit or Basis for Measurement Code IN Inch	ID	2/2

REF

REF Reference Identification

Position: 150**Loop:** HL (Tare)**Level:** Detail**User Req:** Optional**Max Use:** >1**Notes:** ZH (Carrier Assigned Reference Number) - This will be a tracking number for the specific pallet.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	REF01	128	Reference Identification Qualifier	ID	2/3
				ZH Carrier Assigned Reference Number		
X	O	REF02	127	Reference Identification	AN	1/30


MAN Marks and Numbers

Position: 190
Loop: HL (Tare)
Level: Detail
User Req: Optional
Max Use: >1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	MAN01	88	Marks and Numbers Qualifier	ID	1/2
				GM SSCC-18 and Application Identifier		
X	M	MAN02	87	Marks and Numbers	AN	1/48
				If sending a Pallet, you must send a valid SSCC-18 code to identify the pallet. This field is required when using Convey.		

HL

HL Hierarchical Level

Position: 010
Loop: HL (Pack)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number	AN	1/12
M	M	HL03	735	Hierarchical Level Code	ID	1/2
				P Pack		

PO4
PO4 Item Physical Details

Position: 060
Loop: HL (Pack)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	PO410	82	Length	R	1/8
M	O	PO411	189	Width	R	1/8
M	O	PO412	65	Height	R	1/8
X	O	PO413	355	Unit or Basis for Measurement Code	ID	2/2
				IN Inch		

TD1
TD1 Carrier Details (Quantity and Weight)
Position: 110

Loop: HL (Pack)

Level: Detail

User Req: Required

Max Use: 1

Notes: TD101 (Packaging Code) - CTN will always be used to specify that this is a carton or box.

TD102 (Lading Quantity) - Total number of Items (Item Level) that are in the carton or box.

TD107 (Weight) - Gross weight of the carton or box.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	TD101	103	Packaging Code CTN	AN	3/5
O	O	TD102	80	Lading Quantity	N0	1/7
M	O	TD106	187	Weight Qualifier G Gross Weight	ID	1/2
M	O	TD107	81	Weight	R	1/10
M	O	TD108	355	Unit or Basis for Measurement Code LB Pound	ID	2/2

MAN Marks and Numbers

Position: 190

Loop: HL (Pack)

Level: Detail

User Req: Required

Max Use: >2

Notes: CP (Carrier-Assigned Package ID Number) - This is the tracking number assigned by your carrier for the carton or box shipment. Not required if shipping via Convey.

GM (SSCC-18 and Application Identifier) - This needs to be a GS1 formatted SSCC-18 code and will need to match the label that is being put on the physical carton or box.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	MAN01	88	Marks and Numbers Qualifier	ID	1/2
				CP Carrier-Assigned Package ID Number		
				GM SSCC-18 and Application Identifier		
M	M	MAN02	87	Marks and Numbers	AN	1/48

HL

HL Hierarchical Level

Position: 010
Loop: HL (Item)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number	AN	1/12
M	M	HL03	735	Hierarchical Level Code	ID	1/2
				I Item		

LIN Item Identification

Position: 020
Loop: HL (Item)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	LIN01	350	Assigned Identification Equivalent of PO101 from 850 (Order)	AN	1/20
M	M	LIN02	235	Product/Service ID Qualifier VN Vendor's (Seller's) Item Number	ID	2/2
M	M	LIN03	234	Product/Service ID	AN	1/48
O	O	LIN04	235	Product/Service ID Qualifier IN Buyer's Item Number	ID	2/2
X	O	LIN05	234	Product/Service ID	AN	1/48
O	O	LIN06	235	Product/Service ID Qualifier UP U.P.C. Consumer Package Code (1-5-5-1)	ID	2/2
X	O	LIN07	234	Product/Service ID	AN	1/48

SN1

SN1 Item Detail (Shipment)

Position: 030
Loop: HL (Item)
Level: Detail
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	SN102	382	Number of Units Shipped	R	1/10
M	M	SN103	355	Unit or Basis for Measurement Code EA Each	ID	2/2

PID
PID Product/Item Description

Position: 070
Loop: HL (Item)
Level: Detail
User Req: Optional
Max Use: 3

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	PID01	349	Item Description Type	ID	1/1
				F Free-form		
M	O	PID02	750	Product/Process Characteristic Code	ID	2/3
				08 Product		
				35 Color		
				SIZ Sizing		
M	O	PID05	352	Description	AN	1/80

CTT Transaction Totals

Position: 010
Loop:
Level: Summary
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	CTT01	354	Number of Line Items	N0	1/6

SE Transaction Set Trailer

Position: 020
Loop:
Level: Summary
User Req: Required
Max Use: 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
				O		